

# Filter elements, two-stage for installation in wind turbines with Hydac filter housings

## Type 65. Filter elements

**RE 51461**

Edition: 2017-02

Replaces: 11.13



Titelbild\_47227

- ▶ Exchangeable with filter element  
1300 R ... BN...HC/-B4-KE50
- ▶ Exchangeable with filter element  
2600 R ... BN...HC/-B4-KE50
- ▶ Collapse pressure rating up to 15 bar [218 psi]
- ▶ Filter rating 3 ... 10 µm
- ▶ Operating temperature -10 °C ... +100 °C [14 °F ... 212 °F]



### Features

- ▶ Low initial pressure differential (ISO 3968)
- ▶ Functional filter element with two filtration stages for wind turbines
- ▶ With integrated bypass valve
- ▶ High dirt holding capacity and filtration performance due to multi-layer glass fiber technology and simultaneously a low initial pressure differential (ISO 3968)
- ▶ Special highly efficient filter materials

### Contents

Features	1
Ordering code	2
Preferred types	2
Function, set-up	3
Filter variables	4
Filter media, technical data	5 ... 7
Compatibility with hydraulic fluids	7
Installation, commissioning, maintenance	8
Directives and standardization	8

**Ordering code**

of the type 65 filter element.

01	02	03	04	05	06	07			
<b>65.</b>			-	<b>0</b>	<b>00</b>	-	<b>B4</b>	-	<b>M</b>

**Filter element**

01	Design	<b>65.</b>
----	--------	------------

**Size**

02	according to Rexroth standard	<b>1300</b>
		<b>2600</b>

**Filter rating in µm**

03	<b>Filter element</b>	1st stage	= main filter, non-woven glass fiber media, absolute (ISO 16889), not cleanable	<b>H3XL</b>
				<b>H6XL</b>
				<b>PWR10</b>
	2nd stage	= protective filter, stainless steel wire mesh	<b>G40</b>	

**Pressure differential**

04	Maximum admissible pressure differential of the filter element 15 bar [218 psi]	<b>0</b>
----	---	----------

**Element design**

05	Standard adhesive	<b>0...</b>
	Standard material	<b>... 0</b>

**Bypass valve**

06	4 bar [58 psi]	<b>B4</b>
----	----------------	-----------

**Seal**

07	NBR seal	<b>M</b>
----	----------	----------

**Order example:****65.1300 PWR10/G40-000-B4-M****Material no.: R928053030****Preferred types****Filter elements**

Type	Material no. of filter element, filter rating in µm		
	H3XL	H6XL	PWR10
65.1300 .../G40-000-B4-M	R928053029	R928053039	R928053030
65.2600 .../G40-000-B4-M	R928053031	R928053038	R928053032

## Function, set-up

The filter element is the central component of a filter. The actual filtration process takes part in the filter element. The main filter variables, such as retention capacity, dirt holding capacity and pressure loss are determined by the filter elements and the filter media used in them.

Rexroth filter elements are used for the filtration of lubricants in wind turbines. The series 65. filter elements consist of two separate filter elements which are flown through one after the other and a bypass valve.

In order to achieve the cleanliness class, the outer filter element made of non-woven glass fiber media (1) serves as the main filter. The inner filter element (2) made of wire mesh serves as a protective filter in case of a cold start. The outer filter element (1) consists of a multi-layer combination of star-like pleated filter media which are laid around a perforated support tube. The bypass valve (3) is located in the cover of the filter element. The bypass valve has a cracking pressure of 4 bar [58 psi]. The inner filter element (2) is set-up in the same way, except for the filter element mat.


### Possible operating conditions:

#### 1. Normal operation with a clean filter element

The fluid flows through the outer filter element (1). The bypass valve is closed. When the fluid flows to the filter outlet, it passes the inner filter element (2).

#### 2. Cold start or highly contaminated outer filter element

Only a very small portion of the fluid flows through the outer filter element (1). Almost the entire flow passes through the bypass valve, which is completely open. Through the open bypass valve, dirt particles get to the clean side of the outer filter element (1). But the inner filter element (2) still retains any coarse particles. Therefore, the downstream components are still protected, even under these conditions.



## Filter variables

### Filter rating and attainable oil cleanliness

The main goal when using industrial filters is not only the direct protection of machine components but to attain the required oil cleanliness.

Oil cleanliness is defined on the basis of oil cleanliness classes which classify how the amount of particles of the existing contamination is distributed in the operating liquid.

### Filtration performance

#### Filtration ratio $\beta_{x(c)}$ ( $\beta$ value)

The retention capacity of hydraulic filters in a hydraulic system is characterized by the filtration ratio  $\beta_{x(c)}$ . This variable is therefore the most important performance characteristic of a hydraulic filter. It is measured in the multipass test, and is the average value of the specified

initial and final pressure differential according to ISO 16889 using ISOMTD test dust.

The filtration ratio  $\beta_{x(c)}$  is defined as the ratio of the particle count of the respective particle size on both sides of the filter.

#### Dirt holding capacity


It is also measured using the multipass test and determines the amount of test dust ISOMTD which is fed to the filter medium until a specified pressure differential increase has been reached.

#### Pressure loss (also pressure differential or delta p)

The pressure loss of the filter element is the relevant characteristic value for the determination of the filter size. The pressure loss with a clean filter element is recommended by the filter manufacturer or defined by the system manufacturer. This characteristic value depends on many factors. Mainly: the rating of the filter medium, its geometry and arrangement in the filter element, the filter area, the operating viscosity of the fluid and the flow. The term "delta p" is often also expressed with the symbol " $\Delta p$ ".


When dimensioning the filter, an initial pressure loss is determined which must not be exceeded by the new filter element based on the aforementioned conditions.

The following diagram shows the typical pressure loss behavior of filter elements with different filter media at different flows for a viscosity of 30 mm<sup>2</sup>/s [150 SUS].



## Filter media

### Overview

Filter medium/set-up	Electron microscope image
<p><b>PWR..., non-woven glass fiber media</b></p> <p>Glass fiber material generation 5 Configuration with a total of 6 layers consisting of 3 filter-efficient glass fiber layers, with electrically conductive non-woven media by default</p>	
<p><b>G..., stainless steel wire mesh material 1.4401 or 1.4571</b></p> <p>Surface filter made of stainless steel wire mesh with supporting mesh.</p>	

### Technical data

(For applications outside these parameters, please consult us!)

general			
Ambient temperature range		°C [°F]	-40 ... +50 [-40... +122]
Weight		NG	<b>1300</b>
		kg [lbs]	4.2 [9.2]
Material	▶ Cover	Polyamide / tin-coated steel	
	▶ Base	Polyamide / tin-coated steel	
	▶ Support tube	Tin-coated steel	
	▶ Filter material	Non-woven glass fiber media / stainless steel wire mesh	
	▶ Bypass valve	Polyamide / steel	
	▶ Seal	NBR	
hydraulic			
Fluid temperature range		°C [°F]	-10 ... +100 [+14... +212] (for short periods down to -20 [-4])
Minimum conductivity of the medium		pS/m	300
Filtration direction		From the outside to the inside	

## Filter media

### Technical data

#### Non-woven glass fiber media, PWR...

If the Rexroth PWR... filter medium is professionally designed and applied, it achieves a high degree of cleanliness for lubricants. Due to its defined retention capacity (ISO 16889), it offers highly effective protection for machine and system components which are sensitive to contamination.

- ▶ PWR... depth filter made of inorganic glass fiber material
- ▶ Absolute filtration/defined retention capacity according to ISO 16889
- ▶ High dirt holding capacity due to multi-layer set-up
- ▶ Non-reusable filter (not cleanable due to the depth filtration effect)
- ▶ Attainable oil cleanliness classes according to ISO 4406 up to ISO code 12/8/3 and better

#### Filter rating and attainable oil cleanliness

Recommended oil cleanliness according to ISO 4406 (SAE-AS 4059)	Recommended filter medium
≤ 18/13/10 (5)	H3XL
≤ 19/14/11 (6)	H6XL
≤ 20/16/13 (8)	PWR10


#### Filtration ratio $\beta_{x(c)}$ ( $\beta$ value)

Typical  $\beta$  values of up to 2.2 bar [31.9 psi]  $\Delta p$  pressure increase at the filter element <sup>1)</sup>

Filter medium	Particle size "x" for different $\beta$ values, measurement according to ISO 16889		
	$\beta_{x(c)} \geq 75$	$\beta_{x(c)} \geq 200$	$\beta_{x(c)} \geq 1000$
H3XL	4.0 $\mu\text{m}(c)$	< 4.5 $\mu\text{m}(c)$	5.0 $\mu\text{m}(c)$
H6XL	4.8 $\mu\text{m}(c)$	5.5 $\mu\text{m}(c)$	7.5 $\mu\text{m}(c)$
PWR10	7.5 $\mu\text{m}(c)$	8.5 $\mu\text{m}(c)$	10.5 $\mu\text{m}(c)$

<sup>1)</sup> Filtration ratio  $\beta_{x(c)}$  for other filter media upon request

#### Filtration ratio $\beta_{x(c)}$ depending on particle size $\mu\text{m}(c)$



## Filter media

### Dirt holding capacity according to ISO 16889

Compared to conventional filter media with single layer technology, the PWR... filter material features a high dirt holding capacity because it is made of three separate filter layers connected in series.

#### Conventional filter element

(single-layer glass fiber material)

-----

#### Two-layer filter element

(former Rexroth H...XL material combination)


-----

#### Rexroth PWR... filter element

(three-layer glass fiber material with electrically conductive non-woven media)

—————

### Comparison of typical dirt holding capacities of glass fiber filter elements



## Stainless steel wire mesh, G...

### Wire mesh G40

As surface filters, these materials are generally cleanable. Due to their fine mesh, however, cleaning is more difficult than with coarser filter mesh.

Therefore, we recommend cleaning the filters in an ultrasonic bath.

Filter medium	Design	Mesh size	Attainable oil cleanliness <sup>1)</sup>
G40	Woven mesh	40 µm nom.	no specification possible

<sup>1)</sup> according to ISO 4406 for particles  $\geq 4 \mu\text{m}(c)$ ,  $\geq 6 \mu\text{m}(c)$  and  $\geq 14 \mu\text{m}(c)$

## Compatibility with hydraulic fluids

Hydraulic fluid	Classification	Suitable sealing materials	Standards
Mineral oil	HLP	NBR	DIN 51524
Bio-degradable	▶ Insoluble in water	HETG	VDMA 24568
Flame-resistant	▶ Containing water	HFAS, HFAE	DIN 24320
		HFC	VDMA 24317



#### Important information on hydraulic fluids:

- ▶ For further information and data on the use of other hydraulic fluids refer to data sheet 90220 or contact us!
- ▶ **Flame-resistant - containing water:** due to possible chemical reactions with materials or surface coatings of machine or system components, the service life with these hydraulic fluids may be

less than expected. Filter materials made of filter paper P... (cellulose) may not be used, filter elements with glass fiber filter material (PWR... or wire mesh G) have to be used instead.

- ▶ **Bio-degradable:** If filter materials made of filter paper P... are used instead of PWR..., the filter life may be shorter than expected due to material incompatibility and swelling.

## Installation, commissioning and maintenance

### When has the filter element to be replaced or cleaned?

As soon as the dynamic pressure or the pressure differential set at the maintenance indicator is reached, the red pushbutton of the mechanical/visual maintenance indicator pops out. If an electronic switching element is provided, an electric signal will moreover sound. In this case, the filter element has to be replaced.

Filter elements should be replaced after 6 months at the latest.

#### **Notice:**

Depending on the design of the filter size, the maintenance indicator may reach the set dynamic pressure or pressure differential during start-up of the hydraulic system. The electrical signal will go out after the operating temperature has been reached. If the maintenance indicator signal is ignored, the increasing pressure differential may damage the filter element causing it to collapse.

### Filter element exchange

- ▶ Switch off the system and discharge the filter on the pressure side.

Also refer to the relevant system maintenance instructions.

#### **WARNING!**

Filters are containers under pressure. Before opening the filter housing, check whether the system pressure in the filter has been decreased to ambient pressure. Only then may the filter housing be opened for maintenance.

Detailed instructions with regard to the filter element exchange can be found on the relevant data sheet of the filter series manufacturer.



## Directives and standardization

Rexroth filter elements are tested and quality-monitored according to different ISO test standards:

Filtration performance test (multipass test)	ISO 16889:2008-06
$\Delta p$ (pressure loss) characteristic curves	ISO 3968:2001-12
Compatibility with hydraulic fluid	ISO 2943:1998-11
collapse pressure test	ISO 2941:2009-04

The development, manufacture and assembly of Rexroth industrial filters and Rexroth filter elements is carried out within the framework of a certified quality management system in accordance with ISO 9001:2000.

Bosch Rexroth AG  
Hydraulics  
Zum Eisengießer 1  
97816 Lohr am Main, Germany  
Phone +49 (0) 93 52/18-0  
documentation@boschrexroth.de  
www.boschrexroth.de

© This document, as well as the data, specifications and other information set forth in it, are the exclusive property of Bosch Rexroth AG. It may not be reproduced or given to third parties without its consent. The data specified above only serve to describe the product. No statements concerning a certain condition or suitability for a certain application can be derived from our information. The information given does not release the user from the obligation of own judgment and verification. It must be remembered that our products are subject to a natural process of wear and aging.